

**DECLARATION OF CONFORMITY**  
**DOOR SYSTEM: SUPERIOR 55+ALU**  
**No. SUPERIOR-P5+ALU\_S1/01/2024**

Unique identification code of the product: P5+ALU\_S1

Intended use(s): **exterior glazed doors with thermally insulated spacer, activated manually, for communication in domestic and commercial locations.**

Manufacturer: **POLSTAR DOORS Sp. z o.o. Sp. k. Czermno Kolonia, ul. Dworska 12, 26-260 Falków**

Assessment and verification of constancy of performance: **System 3**

Harmonised standard: **EN 14351-1+A2:2016-10**

Notified body / bodies: no. **1827**

**Declared performance characteristics:**

Wind load resistance	Test pressure P1 – Class 2 Frame deflection – Class C
Water tightness	Class 1A
	Constancy of performance – not deteriorating over time provided that the gaskets are replaced every 5 years
Hazardous substances	Does not contain
Impact resistance	Class 1A
Safety devices load-bearing capacity	NPD
Height	2200mm
Acoustic performance	NPD
Thermal transmittance	1.3 [W/(m <sup>2</sup> * K)]
	Constancy of performance – meets requirements
Radiation properties	NPD
Air permeability	Class 2
	Constancy of performance – not deteriorating over time provided that the gaskets are replaced every 5 years

The performance characteristics of the product are in accordance with the declared performance characteristics. The above declaration of conformity has been issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacture.

On behalf of the manufacturer signed by:  
Czermno Kolonia, 02.01.2024r.

Polstar Doors spółka z ograniczoną  
odpowiedzialnością sp. k.

ul. Dworska 12,  
26-260 Czermno-Kolonia

Kapitał zakładowy wpłacony

NIP: 658 198 33 83  
REGON: 362 345 342  
KRS: 0000572664

Stanisław Michalski

3.151.327,96 PLN

