

**DECLARATION OF CONFORMITY**

**DOOR SYSTEM: SUPERIOR (P55)**

**No. SUPERIOR-P55S1/01/2018**

Unique identification code of the product: **P55S1**

Intended use(s): **exterior doors, activated manually, for communication in domestic and commercial locations.**

Manufacturer: **POLSTAR DOORS Sp. z o.o. Sp. k. Czermno Kolonia, ul. Dworska 12, 26-260 Falków**

Assessment and verification of constancy of performance: **System 3**

Harmonised standard: **EN 14351-1:2006 +A1:2010**

Notified body / bodies: no. **1827**

Declared performance characteristics:

Wind load resistance	Test pressure P1 – Class 2 Frame deflection – Class C
Water tightness	Class 1A
	Constancy of performance – not deteriorating over time provided that the gaskets are replaced every 5 years
Hazardous substances	Does not contain
Impact resistance	Class 1A
Safety devices load-bearing capacity	NPD
Dimensions	Height 2000mm
Acoustic performance	Rw(C;Ctr)=22(-3;-3)dB
Thermal transmittance	1.5[W/(m <sup>2</sup> * K)]
	Constancy of performance – meets requirements
Radiation properties	g=5% ; Lt=7%
Przepuszczalność powietrza	Class 2
	Constancy of performance – not deteriorating over time provided that the gaskets are replaced every 5 years

The performance characteristics of the product are in accordance with the declared performance characteristics. The above declaration of conformity has been issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer

On behalf of the manufacturer signed by:  
Czermno Kolonia, 1.02.2018r.

Polstar Doors spółka z ograniczoną  
odpowiedzialnością sp. k.

ul. Dworska 12,  
26-260 Czermno-Kolonia

Kapitał zakładowy wpłacony

NIP: 658 198 33 83

REGON: 362 345 348

KRS: 0000572664

3.151.327,96 PLN

Stanisław Michalski

